



U.S. Department
of Transportation
**Research and
Special Programs
Administration**

400 Seventh St., S.W.
Washington, D.C. 20590

JUL 10 2001

DOT-E 7835
(TWENTY-THIRD REVISION)

EXPIRATION DATE: May 31, 2003

(FOR RENEWAL, SEE 49 CFR § 107.109.)

1. GRANTEE: Air Products and Chemicals, Inc., (APCI)
Allentown, Pennsylvania.

(See Appendix A to this exemption for a list of additional
grantee)
2. PURPOSE AND LIMITATION: This exemption authorizes the
transportation in commerce of DOT specification cylinders,
multi-unit tank car tanks and UN1A1 drums containing
Division 2.1, 2.2, 2.3, 5.1, 4.3 and Class 3 and 8 materials
on the same motor vehicle, subject to the limitations and
special requirements specified herein.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-
180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 177.848(d)
insofar as this section applies to materials transported in
cylinders and multi-unit tank car tanks, and the marking
requirement in § 172.301(c).
5. BASIS: This exemption is based on Air Products and Chemical
Inc.'s application dated June 5, 2001, submitted in
accordance with § 107.109.

JUL 10 2001

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

This exemption only authorizes the transportation of the following list of hazard classes and divisions.

<u>Hazard Class/Division</u>	<u>Packing Group</u>
2.1	NA
2.2	NA
2.3 (Hazard Zones A & B)	NA
5.1	I, II, III
3	I, II, III
8	I, II, III
4.3	I, II, III

7. SAFETY CONTROL MEASURES:

a. PACKAGING - Packagings prescribed are DOT specification cylinders, multi-unit tank car tanks (class 106A or 110A) or UN1A1 drums that are authorized in 49 CFR, Part 173 and DOT Exemption 6543 for the specific hazardous material. Trailers and trucks used for transporting hazardous materials under this exemption must be in compliance with the following:

1. Trailers and trucks of an open bed type with steel side rails, having adequate strength for securing cylinders in an upright position. Vehicles may be equipped with canvas covers to protect against inclement weather. The top and side of the cover must be equipped with at least three 8" X 8" minimum nylon mesh vents providing ventilation equivalent to that shown on APCI's drawing No. IGDSK 4697A dated 6-30-81 on file with the Office of Hazardous Materials Exemptions and Approvals (OHMEA); or

2. Trailers approximately 45 feet long with an enclosed portion not more than 20 feet long and the remainder being open bed type with steel side rails, having adequate strength for securing cylinders in the upright position; or

JUL 10 2001

3. Enclosed trailers to a maximum length of 53 feet. The sides, front, rear, and roof of trailers must be equipped with inlet and outlet vent openings with a minimum total area of one square foot per 1,000 cubic feet of trailer volume. The vents must provide ventilation at least equivalent to that shown on APCI's drawing No. 700876A on file with OHMEA. Electrical systems within the trailer's interior must be designed such that they will not be a source of ignition. Trailer bulkheads and sides must be constructed to secure cylinders in accordance with Paragraph 7.b of this exemption.

b. Each group of cylinders must be transported as follows:

1. In vehicles secured in an upright position with securement assemblies equal in strength to one and one-half times the weight of each group of cylinders. A minimum of two securement assemblies must be used on each group of cylinders. Securement assemblies:

i. must be constructed with three-fourth inch webbing and ratchet buckle equipped with chain and grab hooks, with a minimum break strength of 10,000 pounds, or

ii. must be all metal chain and binder units rated at 16,200 pounds.

iii. must not be employed when they do not adequately secure small cylinders. For this condition, small cylinders must be packed in wooden or fiberboard boxes and then secured against movement during transportation.

2. In pallets designed to transport 3500 pounds per pallet. The cylinders will be secured within the pallet by a webbing strap rated at 10,000 pounds.

c. Cylinders and tank car tanks containing Division 2.3 hazard Zone A materials must be stowed at least 10 feet away from cylinders or UN1A1 drums containing materials in Division 2.1, 5.1, 4.3, Class 3 or Class 8. The maximum gross weight of Division 2.3 Hazard Zone A materials carried on one vehicle must not exceed 8,000 pounds.

d. Drivers and persons who load and unload the containers shipped under this exemption must be trained in the handling and loading of all types of compressed gases.

e. Hazardous materials carried in the enclosed part of trailers authorized by paragraph 7a(2), or in trailers authorized by paragraph 7a(3) of this exemption must be loaded in compliance with § 177.848(e)(3).

8. SPECIAL PROVISIONS:

a. The names of motor carriers, other than private carriers and Jack B. Kelly, Inc., must be on file with the OHMEA. Motor carriers operating under the terms of this exemption must have a "satisfactory" safety rating as prescribed in 49 CFR Part 385.

b. A person who is not a holder of this exemption who receives a package covered by this exemption may reoffer it for transportation provided no modifications or changes are made to the package and it is reoffered for transportation in conformance with this exemption and the HMR.

c. Shipping papers must contain an entry, "DOT-E 7835 Special Stowage Authorized." The markings requirements of § 173.301.(c) are waived.

d. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.

e. Shippers using the packaging covered by this exemption must comply with the shipping paper, marking, labeling, and placarding requirements of 49 CFR Part 172; all provisions of this exemption, and all other applicable requirements contained in 49 CFR Parts 171-180.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.

10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard each motor vehicle used to transport packages covered by this exemption.

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq.,


- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8 who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when the exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incidents involving the package and shipments made under the terms of this exemption.

Issued in Washington, D.C.:



Robert A. McGuire
Associate Administrator
for Hazardous Materials Safety

JUL 10 2001

(DATE)

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590.
Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

Copies of exemptions may be obtained from the AAHMS, U.S. Department of Transportation, 400 7th Street, SW, Washington, DC 20590-0001, Attention: Records Center, 202-366-5046.
PO: sln

SEP 21 2001

Continuation of DOT-E 7835 (23rd Rev.) Appendix A

Page 6

The following are hereby granted party status to this exemption based on their application(s) submitted in accordance with § 107.107 or § 107.109, as appropriate:

Company Name City/State	Application Date	Issue Date	Expiration Date
ABCO Welding & Industrial Supply, Inc., Waterford, CT	Jul 1, 2001	Jul 13, 2001	May 31, 2003
AGA Gas, Inc. Cleveland, OH	Jun 13, 2001	Jul 10, 2001	May 31, 2003
Aeriform Corporation Houston, TX	Jun 22, 2001 & Jul 16, 2001	Jul 23, 2001	May 31, 2003
Air Liquide America Corporation, Houston, TX	Jul 19, 2001	Jul 26; 2001	May 31, 2003
Airgas, Inc. Cheyenne, WY	Jun 8, 2001	Jul 26, 2001	May 31, 2003
Alameda Chemical & Scientific, Inc. Sacramento, CA	Feb 16, 2000	Mar 8, 2000	Sep 30, 2001
Alameda Chemical & Scientific, Inc. Nampa/Bosie, ID	Feb 16, 2000	Mar 8, 2000	Sep 30, 2001
Alameda Chemical & Scientific, Inc. Colorado Springs, CO	Feb 16, 2000	Mar 8, 2000	Sep 30, 2001
Alameda Chemical & Scientific, Inc. Phoenix, AZ	Feb 16, 2000	Mar 8, 2000	Sep 30, 2001
Alameda Chemical & Scientific, Inc. Camarillo, CA	Feb 16, 2000	Mar 8, 2000	Sep 30, 2001
Alameda Chemical & Scientific, Inc. Oakland, CA	Feb 16, 2000	Mar 8, 2000	Sep 30, 2001

SEP 21 2001

Continuation of DOT-E 7835 (23rd Rev.) Appendix A

Page 7

Company Name City/State	Application Date	Issue Date	Expiration Date
Advanced Tehcnology Materials, Inc. (ATMI) Danbury, CT	Jul 20, 2001	Aug 23, 2001	May 31, 2003
BOC Gases Murray Hill, NJ	May 2, 2001	May 23, 2001	May 31, 2003
Environmental Products & Services, Inc., Syracuse, NY	Nov 29, 1999	Jan 6, 2000	Sep 30, 2001
Gas Tech, Inc. Hillside, IN	Jun 21, 2001	Jul 10, 2001	May 31, 2003
General Air Service & Supply Company, Denver, CO	Jun 4, 2001	Jul 10, 2001	May 31, 2003
Matheson Gas Products, Inc. Secaucus, NJ	Jul 17, 2001	Jul 26, 2001	May 31, 2003
Messer Griesheim Industries, Inc. Malvern, PA	May 31, 2001	Jul 10, 2001	May 31, 2003
Mountain Electric Gases, Colorado Springs, CO	May 15, 2001	Jul 10, 2001	May 31, 2003
National Welders Supply Company, Inc., Charlotte, NC	Jul 16, 2001	Jul 26, 2001	May 31, 2003
Oxygen Services Company, Orange, CA	Aug 14, 2001	Sep 10, 2001	May 31, 2003
Praxair Distribution, Inc., Danbury, CT	Jul 31, 2001	Aug 2, 2001	May 31, 2003
Praxair, Inc. Danbury, CT	Jul 31, 2001	Aug 2, 2001	May 31, 2003
Praxair Distribution Southeast, LLC Tequesta, FL	Feb 14, 2000	Mar 9, 2000	Sep 30, 2001

SEP 21 2001

Continuation of DOT-E 7835 (23rd Rev.) Appendix A

Page 8

Company Name City/State	Application Date	Issue Date	Expiration Date
Roberts Oxygen Company, Inc., Gaithersburg, MD	Sep 11, 2001	SEP 21 2001	May 31, 2003
Scott Specialty Gases, Inc. Plumsteadville, PA	Jul 30, 2001	Aug 10, 2001	May 31, 2003
Vancouver Welding Supply Company Vancouver, WA	Nov 24, 1999	Jan 6, 2000	Sep 30, 2001

for Ann Mazzullo
Robert A. McGuire
Associate Administrator for
Hazardous Materials Safety